

## ELS ELS 7/40 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



ELS MultiCard markers can be printed with a PrintJet, plotter or SMark printer. In particular, colour printing with PrintJet AVANCED allows the eye-catching identification marking of cables and terminal strips in many ways.

ELS 6/30 for use in the WKM 8/30 cable markers or in the EM8/30 group-tag carriers

ELS 7/40 for use in the SchT5S group-tag carriers

ELS 16/40 for use in the WKM 18/43 cable markers or the SchT5 group-tag carriers

### General ordering data

Type	ELS 7/40 MC NE WS
Order No.	<a href="#">1045640000</a>
Version	ELS, Insert markers, 40 x 7 mm, White
GTIN (EAN)	4032248836086
Qty.	40 pc(s).
compatible printer	<a href="#">1324380000</a>

## Data sheet

### ELS ELS 7/40 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	7 mm	Width (inches)	0.276 inch
Height	40 mm	Height (inches)	1.575 inch
Depth	1 mm	Depth (inches)	0.039 inch
Net weight	2.25 g		

### General data

Colour	White	Material	Polyamide 66
Material colour according to resistance code	9	Number per sheet	8
Operating temperature range	-40...100 °C	UL 94 flammability rating	V-2
Width	7 mm		

### Conductor and cable markers

Halogen	No
---------	----

### Classifications

ETIM 3.0	EC001530	ETIM 4.0	EC001288
ETIM 5.0	EC001530	ETIM 6.0	EC001530
UNSPSC	39-12-14-00	eClass 5.1	27-14-91-03
eClass 6.2	27-14-91-29	eClass 7.1	27-14-91-29
eClass 8.1	27-14-91-03	eClass 9.0	27-14-07-08
eClass 9.1	27-40-04-01		

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN, WSCAD, Zuken E3.S</a>
Software	<a href="#">M-Print PRO configuration file</a>

**ELS  
ELS 7/40 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

