

Rittal – The System.

Faster – better – everywhere.

Door stay – SZ 2519.000

Date : Mar 15, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Door stay – SZ 2519.000

created: 15.03.2017 build on www.rittal.com/uk-en



Product description

Description: To secure the door in the open position.

Assembly instruction: With AE stainless steel, the perforated mounting strip is additionally required

Supply includes: Assembly parts

Note on Model No.: not suitable for AE 1032.500 and AE 1035.500

Product features

To fit: Enclosure type: AE
Enclosure type: AE stainless steel

Mounting position: Top

Packs of: 5 pc(s).

Weight/pack: 0.57 kg

EAN: 4028177843363

Customs tariff number: 83024900

ETIM 6.0: EC002626

ETIM 5.0: EC002626

eCI@ss 8.0/8.1:	27189266
eCI@ss 7.0/7.1:	27189234
eCI@ss 6.0/6.1:	27189234
eCI@ss 5.1/5.1.4:	27189252

Approvals

Certificates:	EAC
----------------------	-----

2017 © Rittal Ltd UK