

# Rittal – The System.

Faster – better – everywhere.

## Universal consoles TP – TP 2694.500

Date : Jan 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Universal consoles TP – TP 2694.500

created: 24.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

|  |  |
|--|--|
| <b>Design:</b>                                   | with short front door  |
| <b>Material:</b>                                 | Enclosure, gland plates: Sheet steel 1.5 mm<br>Door: Sheet steel, 2.0 mm<br>Mounting plate: Sheet steel 3.0 mm   |
| <b>Surface finish:</b>                           | Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint<br>Mounting plate and gland plates: Zinc-plated   |
| <b>Colour:</b>                                   | RAL 7035   |
| <b>Protection category<br/>IP to IEC 60 529:</b> | IP 55<br>Note: For universal console with short front door: The drawer or desk section should be fitted in order to preserve the protection category. The keyboard drawer may be installed without a mounting plate. |
| <b>Protection category<br/>NEMA:</b>             | NEMA 12  |
| <b>IK Code:</b>                                  | IK08   |
| <b>Supply includes:</b>                          | Enclosure with door(s)<br>Mounting plate<br>Gland plates   |
| <b>Product modification:</b>                     | The universal console comes with the new mounting plate of the baying enclosure system VX25.<br>The brochure and the CAD drawings are available for downloading.   |
| <b>Note:</b>                                     | For universal console with short front door: The drawer or desk section should be fitted in order to preserve the protection category. The keyboard drawer may be installed without a mounting plate.                |

|                               |   |
|-------------------------------|---|
| <b>Basic material:</b>        | Sheet steel   |
| <b>Product features</b>       |   |
| <b>Dimensions:</b>            | Width: 600 mm<br>Height: 1300 mm<br>Depth (top): 417.5 mm<br>Depth (bottom): 500 mm |
| <b>Mounting plate:</b>        | Width: 499 mm<br>Height: 1196 mm  |
| <b>Packs of:</b>              | 1 pc(s).  |
| <b>Weight/pack:</b>           | 77 kg   |
| <b>EAN:</b>                   | 4028177031487   |
| <b>Customs tariff number:</b> | 94032080  |
| <b>ETIM 6.0:</b>              | EC000784  |
| <b>ETIM 5.0:</b>              | EC000784  |
| <b>eCl@ss 8.0/8.1:</b>        | 27180504  |
| <b>eCl@ss 7.0/7.1:</b>        | 27180504  |
| <b>eCl@ss 6.0/6.1:</b>        | 27180504  |
| <b>eCl@ss 5.1/5.1.4:</b>      | 27180503  |
| <b>Product description:</b>   | TP Universal console, WHD: 600x1300x500 mm, Sheet steel, with short front door      |
| <b>Approvals</b>              |   |
| <b>Approvals:</b>             | CSA<br>RRR<br>Russian Maritime Register of Shipping<br>TÜV<br>UL                    |
| <b>Certificates:</b>          | EAC<br>IK-Code  |
| <b>Declarations:</b>          | Declaration of conformity   |