

# Rittal – The System.

Faster – better – everywhere.

## Operating panel for AE – FT 2741.000

Date : Jan 24, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Operating panel for AE – FT 2741.000

created: 24.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

**Description:** For external mounting on an AE instead of a door and on surfaces. Frame construction with corner connectors on the inside, 3 mm aluminium plate secured from the inside and sealed against the frame.

**Material:** Aluminium, natural anodised

**Protection category  
IP to IEC 60 529:** IP 54

**Supply includes:** Aluminium frame  
Display panel  
Hinges  
Brackets

**Note:** When installing instead of a door, the cam lock is required

## Product features

**To fit:** Enclosure type: AE  
Enclosure type: AE stainless steel  
Width: = 380 mm  
Height: = 300 mm

**Dimensions:** Width: 377 mm  
Height: 297 mm  
Depth: 34 mm

**Dimensions of  
aluminium plate:** Width: 323 mm  
Height: 243 mm

**Area available for  
population:** Width: 307 mm  
Height: 227 mm

<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	1.9 kg
<b>EAN:</b>	4028177031852
<b>Customs tariff number:</b>	76169990
<b>ETIM 6.0:</b>	EC000747
<b>ETIM 5.0:</b>	EC000747
<b>eCl@ss 8.0/8.1:</b>	27182204
<b>eCl@ss 7.0/7.1:</b>	27182204
<b>eCl@ss 6.0/6.1:</b>	27182204
<b>eCl@ss 5.1/5.1.4:</b>	27182202
<b>Product description:</b>	FT Operating panel, WHD: 377x297x34 mm, for WH: 380x300 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC