

Rittal – The System.

Faster – better – everywhere.

Outlet filter Standard – SK 3237.200

Date : May 31, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet filter Standard – SK 3237.200

created : 31.05.2016 build on www.rittal.com/uk-en



Product description

Description: For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.

Material: ABS
Material resistance to UL 94-5VA

Colour: RAL 7035

**Protection category
IP to IEC 60 529:** IP 54 including filter mat

Supply includes: Outlet filter
Filter mat

Packs of: 1 pc(s).

EAN: 4028177651616

**Customs tariff
number:** 39269097

eCl@ss 5.1: 27180706

eCl@ss 7.0: 27180706

ETIM 6.0: EC002513

Product features

Dimensions: Width: 116.5 mm
Height: 116.5 mm
Depth: 16 mm

Required mounting cut-out: Width: 92 mm
Height: 92 mm

Weight/pack: 0.12 kg

Approvals

Approvals:  [C-UR \(EN\)](#)
 [CSA](#) 1
EN
 [UR \(EN\)](#)
 [UR + C-UR \(EN\)](#)

Downloads

Data sheets:  [Technical system catalogue \(DE\)](#)

Documentation:  [Instructions](#)
EN

Specialist literature:  [The Rittal technology library](#)
EN

CAD drawings: Request