

# Rittal – The System.

Faster – better – everywhere.

## OM adaptors with connection cables – SV 9340.700

Date : Jan 14, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# OM adaptors with connection cables – SV 9340.700

created: 14.01.2019 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Material:</b>	Polyamide (PA 6.6) Fire protection corresponding to UL 94-V0
<b>Colour:</b>	Chassis: RAL 7035
<b>Note:</b>	The technical data may vary for UL applications

## Product features

<b>To fit busbars:</b>	with cross-section height: 5 mm with cross-section height: 10 mm
<b>Number of poles:</b>	3-pole
<b>For bar systems with centre-to-centre spacing:</b>	60 mm
<b>Dimensions:</b>	Width: 75 mm Height: 208 mm
<b>Connection cable:</b>	Cross-section: AWG 6 Length: 130 mm
<b>Rated current (max.):</b>	65 A
<b>Number of support rails:</b>	1
<b>Height of support rails:</b>	7.5 mm

<b>Support rail type:</b>	Metal
<b>Insert strips:</b>	yes
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	0.42 kg
<b>EAN:</b>	4028177525566
<b>Customs tariff number:</b>	85369095
<b>ETIM 6.0:</b>	EC001531
<b>ETIM 5.0:</b>	EC001531
<b>eCl@ss 8.0/8.1:</b>	27370304
<b>eCl@ss 7.0/7.1:</b>	27370304
<b>eCl@ss 6.0/6.1:</b>	27370304
<b>eCl@ss 5.1/5.1.4:</b>	27370302
<b>Product description:</b>	SV OM adaptor, 65 A, 690 V, 3-pole, connection cable AWG 6, WH: 75x208 mm, 2 insert strips, metal support rail

## Approvals

**Approvals:** ABS  
C-UL  
DNV-GL  
Lloyds Register of Shipping  
UL + C-UL

**Certificates:** EAC

**Declarations:** Declaration of conformity