

Rittal – The System.

Faster – better – everywhere.

Mini-PLS component adaptor – SV 9617.000

Date : Jan 16, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Mini-PLS component adaptor – SV 9617.000

created: 16.01.2019 build on www.rittal.com/uk-en



Product description

Material: Polyamide (PA 6.6)
Fire protection corresponding to UL 94-V0

Product features

Number of poles: 3-pole

Dimensions: Width: 54 mm
Height: 160 mm

Connection cable: Cross-section: AWG 10

Rated current (max.): 40 A

Number of support rails: 1

Height of support rails: 15 mm

To fit manufacturer (model): ABB (MS450 max. 40 A)
Eaton (PKZM4 max. 40 A)

Weight/pack: 0.38 kg

ETIM 5.0: EC001531

eCl@ss 6.0/6.1: 27370304

Product description: SV Mini-PLS component adaptor, 40 A, 690 V, 3-pole, connection cable AWG 10, WH:

54x160 mm, support rail H: 15 mm

Approvals

Certificates: EAC

Declarations: Declaration of conformity