Rittal - The System.

Faster – better – everywhere.

Busbars E-Cu with integral holes – SV 9661.325


Date : Dec 3, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Busbars E-Cu with integral holes – SV 9661.325

created: 03.12.2019 build on www.rittal.com/uk-en



| | - | | |
|------|--------|------------|---------|
| Uraa | 110t / | 1000I | ription |
| PIOU | 111.1 | 1656 | |
| | | ~~~ | |
| | | | |

Description: Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004,

9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN

combination angle and baying bracket E-Cu.

Material: E-Cu

Product features

To fit: Width: = 1200 mm

Dimensions: Length: 1165 mm

Cross-section: Flat copper bar width: 5 mm

Flat copper bar thickness: 30 mm

Diameter of hole: 11 mm

Packs of: 2 pc(s).

Weight/pack: 3.23 kg

Copper weight (kg 1.56 per piece):

EAN: 4028177546950

Customs tariff 74071000

number:

iuiiibei.

ETIM 7.0:

EC000329

© Rittal 2019

| ETIM 6.0: | EC000329 | | |
|----------------------|--|--|--|
| eCl@ss 8.0/8.1: | 27400605 | | |
| eCl@ss 6.0/6.1: | 27400605 | | |
| Product description: | SV Busbar E-Cu, WH: 30x5 mm, L: 1165 mm, with integral holes Ø 11 mm | | |
| Approvals | | | |
| Approvals: | UL + C-UL | | |
| Declarations: | Declaration of conformity | | |

© Rittal 2019 2