Rittal - The System.

Faster – better – everywhere.

Partial door for VX – SV 9682.146

Date: Jul 14, 2019



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Partial door for VX - SV 9682.146

created: 14.07.2019 build on www.rittal.com/uk-en



Description: Suitable for VX enclosures instead of a door or rear panel. The partial doors may be

combined with one another as required. A trim panel is required at the top and bottom in each case. Door may be optionally hinged on the right or left. In the case of doors without viewing panel (height 600 – 1000 mm), monitor frame 2305.000 may be installed. Standard double-bit lock insert may be exchanged for lock inserts, type A.

Material: Sheet steel, 2 mm

Surface finish: Textured paint

Colour: RAL 7035

Protection category IP to IEC 60 529:

IP 54

Supply includes: Partial door

Cross member

Hinges

Lock components Assembly parts

Note: Opening angle of partial doors max. 130°

Product features

To fit: Width: = 400 mm

Dimensions: Width: 400 mm

Height: 600 mm

Number of locks: 2

© Rittal 2019

| Packs of: | 1 pc(s). |
|----------------------------------|---|
| Copper weight (kg per piece): | 0 |
| EAN: | 4028177929111 |
| Customs tariff number: | 94039010 |
| ETIM 6.0: | EC000747 |
| ETIM 5.0: | EC000747 |
| eCl@ss 8.0/8.1: | 27182204 |
| eCl@ss 7.0/7.1: | 27182290 |
| eCl@ss 6.0/6.1: | 27182290 |
| eCl@ss 5.1/5.1.4: | 27189217 |
| Product description: | VX Partial door, WH: 400x600 mm sheet steel |
| | |

© Rittal 2019 2