

Rittal – The System.

Faster – better – everywhere.

Partial door for VX – SV 9682.158

Date : Jul 14, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Partial door for VX – SV 9682.158

created: 14.07.2019 build on www.rittal.com/uk-en



Product description

Description: Suitable for VX enclosures instead of a door or rear panel. The partial doors may be combined with one another as required. A trim panel is required at the top and bottom in each case. Door may be optionally hinged on the right or left. In the case of doors without viewing panel (height 600 – 1000 mm), monitor frame 2305.000 may be installed. Standard double-bit lock insert may be exchanged for lock inserts, type A.

Material: Sheet steel, 2 mm

Surface finish: Textured paint

Colour: RAL 7035

**Protection category
IP to IEC 60 529:** IP 54

Supply includes: Partial door
Cross member
Hinges
Lock components
Assembly parts

Note: Opening angle of partial doors max. 130°

Product features

To fit: Width: = 400 mm

Dimensions: Width: 400 mm
Height: 1800 mm

Number of locks: 4

Packs of:	1 pc(s).
Copper weight (kg per piece):	0
EAN:	4028177928947
Customs tariff number:	94039010
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182290
eCl@ss 6.0/6.1:	27182290
eCl@ss 5.1/5.1.4:	27189217
Product description:	VX Partial door, WH: 400x1800 mm sheet steel