## Rittal - The System.

Faster – better – everywhere.

## Partial door for VX – SV 9682.161

Date: Jul 16, 2019



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Partial door for VX - SV 9682.161

created: 16.07.2019 build on www.rittal.com/uk-en



Material:

Number of locks:

Product description	
Description:	Suitable for VX enclosures instead of a door or rear page 1

Sheet steel, 2 mm

Suitable for VX enclosures instead of a door or rear panel. The partial doors may be combined with one another as required. A trim panel is required at the top and bottom in each case. Door may be optionally hinged on the right or left. In the case of doors without viewing panel (height 600 – 1000 mm), monitor frame 2305.000 may be installed. Standard double-bit lock insert may be exchanged for lock inserts, type A

installed. Standard double-bit lock insert may be exchanged for lock inserts, type A.

Surface finish:	Textured paint

Colour:	RAL 7035

Protection category	IP 54		
IP to IEC 60 529:			

Supply includes:	Partial door
	Cross member
	Hinges

Lock components Assembly parts			

1

|--|

Product features	S
To fit:	Width: = 600 mm
Dimensions:	Width: 600 mm Height: 150 mm

© Rittal 2019

Packs of:	1 pc(s).
Copper weight (kg per piece):	0
EAN:	4028177928879
Customs tariff number:	94039010
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
e CI@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182290
eCl@ss 6.0/6.1:	27182290
eCl@ss 5.1/5.1.4:	27189217
Product description:	VX Partial door, WH: 600x150 mm sheet steel

© Rittal 2019 2