

EU Declaration of Conformity

Product:	Guard Locking Safety Switches	
-----------------	--------------------------------------	--

Name and address of the manufacturer: Rockwell Automation, Inc. 1201 South 2nd Street Milwaukee, WI 53204 USA	Name and address of the authorised representative: Rockwell Automation B.V. Rivium Promenade 160 2909 LM Capelle aan den IJssel The Netherlands
---	--

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration:	Allen-Bradley/Guardmaster 440G-MT, 440G-S, and 440G-T Series (reference the attached list of catalogue numbers)	
-----------------------------------	---	--

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

2006/95/EC	Low Voltage Directive	(LVD)
2004/108/EC	EMC Directive	(EMC)
2006/42/EC	Machinery Directive	(MD)


References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

EN 60947-1:2007	Low-voltage switchgear and controlgear – Part 1: General rules
EN 60947-5-1:2004 + A1:2009	Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices.
EN ISO 12100-1:2003 + A1:2009	Safety of machinery – Basic concepts, general principles for design – Part 1: Basic terminology, methodology
EN ISO 12100-2:2003 + A1:2009	Safety of machinery – Basic concepts, general principles for design – Part 2: Technical principles
EN 1088:1995 + A1:2007 + A2:2008	Safety of Machinery – Interlocking devices associated with guards – Principles for design and selection.

Additional information:

Year of CE Marking (LVD):	2000
Person authorised to compile the technical file (MD):	Authorised representative (see details above).
Product Safety Function (MD):	For use on machines where overrun is present or where opening of the guard must not be allowed until the machine is safe.

Signed for and on behalf of the above named manufacturer:

Place and date of issue:	Milwaukee, WI USA	23-Feb-2015
Name, function:	Daniel L. Nachtigall, Technical Leader – Product Certification Engineering	
Signature:		

Catalogue number	Series ¹	Description	Directive ²		
			LVD	EMC	MD
440G-MT47007		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47008		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47009		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47010		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47011		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47012		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47013		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47014		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47015		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-MT47016		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-MT47017		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-MT47024		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-MT47037		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47038		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47039		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47040		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47041		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47042		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47043		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47044		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47045		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47046		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47047		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47048		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47049		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47050		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47070		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47071		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47073		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47074		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47077		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47078		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47079		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47080		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-MT47149		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47150		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47151		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47152		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47153		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47154		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47155		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47156		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47157		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47158		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47159		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes

1) If no series number is given, then all series are covered.

2) Yes = Product is certified to this directive.

N/R = This directive is not required for this product.

Catalogue number	Series ¹	Description	Directive ²		
			LVD	EMC	MD
440G-MT47160		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47161		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47162		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47163		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47164		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47165		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-MT47166		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36001		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36003		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36005		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-S36007		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36009		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36011		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-S36044		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36045		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36046		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-S36047		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36048		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36049		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-S36058		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36059		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-S36060		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36061		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-S36062		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-S36063		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-T27121		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27123		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-T27124		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27127		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27129		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-T27132		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27134		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27136		Tongue-operated guard locking safety switch, 230V ac/dc	Yes	Yes	Yes
440G-T27138		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27169		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27171		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27172		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27174		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27175		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27177		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27178		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27180		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27181		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27183		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27184		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27186		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes

1) If no series number is given, then all series are covered.

2) Yes = Product is certified to this directive.

N/R = This directive is not required for this product.

Catalogue number	Series ¹	Description	Directive ²		
			LVD	EMC	MD
440G-T27233		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27234		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27235		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27239		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27240		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27241		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27245		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27246		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27247		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27251		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27252		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27253		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27254		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27255		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27256		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27257		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27258		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27259		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27260		Tongue-operated guard locking safety switch, 24V ac/dc	N/R	Yes	Yes
440G-T27261		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes
440G-T27262		Tongue-operated guard locking safety switch, 110V ac/dc	Yes	Yes	Yes

1) If no series number is given, then all series are covered.

2) Yes = Product is certified to this directive.

N/R = This directive is not required for this product.